


ENVIRONMENTAL  
CLEARANCE

**PARIVESH**

(Pro-Active and Responsive Facilitation by Interactive,  
and Virtuous Environment Single-Window Hub)



Government of India  
Ministry of Environment, Forest and Climate Change  
(Impact Assessment Division)

To,

The Chairman  
BHIWADI JAL PRADUSHAN NIVARAN TRUST  
Bhiwadi Mor, opposite new Bus stand, Bhiwadi, Alwar,, Alwar, Rajasthan-  
301019

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/RJ/MIS/203733/2020 dated 17 Mar 2021. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.	EC21A036RJ194197
2. File No.	21-35/2021-IA-III
3. Project Type	New
4. Category	A
5. Project/Activity including Schedule No.	7(h) Common Effluent Treatment Plants (CETPs)
6. Name of Project	Expansion of Common Effluent Treatment plant (CETP) of capacity 9 MLD with addition of 100 KLD Spent Acid Neutralization Plant (Existing) & 6 MLD Effluent Recycling and Reject Management System
7. Name of Company/Organization	BHIWADI JAL PRADUSHAN NIVARAN TRUST
8. Location of Project	Rajasthan
9. TOR Date	01 Feb 2021

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 15/12/2021

(e-signed)  
Dharmendra Gupta  
Scientist F  
IA - (INFRA-2 sector)

*Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.*

*This is a computer generated cover page.*

**F. No. 21-35/2021-IA-III**  
Government of India  
Ministry of Environment, Forest and Climate Change  
(IA,III Section)

Indira Paryavaran Bhawan,  
Jor Bagh Road, New Delhi - 110003

22<sup>nd</sup> November, 2021

To,

**Shri Satinder Singh Chauban,**  
**Chairman**  
Bhiwadi Mor, Opposite New Bus Stand,  
Bhiwadi, Alwar - 301019, Rajasthan  
E. mail: cetppradushan@gmail.com

**Subject: Environmental Clearance for Expansion of Common Effluent Treatment plant (CETP) of capacity 9 MLD with addition of 100 KLD Spent Acid Neutralization Plant (Existing) & 6 MLD Effluent Recycling and Reject Management System located at Bhiwadi, Rajasthan by M/s. Bhiwadi Jal Pradushan Nivaran Trust - Regarding**

Sir,

This has reference to your Application/Proposal No. IA/RJ/MIS/203733/2020 received on 17<sup>th</sup> March, 2021 through Parivesh Portal for Environmental Clearance (EC) for 'Expansion of Common Effluent Treatment plant (CETP) of capacity 9 MLD with addition of 100 KLD Spent Acid Neutralization Plant (Existing) & 6 MLD Effluent Recycling and Reject Management System located at Bhiwadi, Rajasthan' by M/s. Bhiwadi Jal Pradushan Nivaran Trust.

2. As per the provisions of the Environment Impact Assessment (EIA) Notification, 2006; as amended and notified under the Environment (Protection) Act, 1986 (29 of 1986), the above-mentioned project/activity is covered under category 'B' of item 7(h) 'Common Effluent Treatment Plants (CETPs)' of the Schedule to the EIA Notification, 2006 and its subsequent amendments. However, the project/activity comes under category 'A' as General Condition is applicable due to presence of Haryana-Rajasthan State Boundary at a distance of approx. 1 km from the project site. Therefore, the project requires appraisal at Central level by sectoral EAC.

3. Accordingly, the abovementioned proposal for Environmental Clearance has been examined by the Expert Appraisal Committee (Infra 2) in its 63<sup>rd</sup> meeting held during 27-28 May, 2021.

4. The details of the project, as per the application and documents submitted by the project proponent, and also as informed during the above-mentioned meeting of EAC (Infra-2) are as under:

i. The project is located at Village - Bhiwadi, Tehsil-Tijara, District-Alwar,

- Rajasthan with coordinates 28°12'31.02" N Latitude and 76°49'45.65" E Longitude.
- ii. The proposal is for Fresh EC. The project is an Expansion Project under Violation Category.
  - iii. CETP of 6 MLD capacity was constructed by Rajasthan State Industrial Development and Investment Corporation (RIICO) in the year 2003-04 and therefore did not attract the requirement of prior EC as per EIA Notification, 2006. The present proposal is for the "Expansion of Common Effluent Treatment plant (CETP) to 9 MLD, with addition of 100 KLD Spent Acid Neutralization Plant (Existing) and 6 MLD Effluent Recycling and Reject Management System".
  - iv. The project has been granted ToR Vide File No 10 67/2016-IA-III, dated 28.11.2016 and Draft EIA Report was submitted to SPCB on 01.11.2017 for conducting Public Hearing. Public Hearing was conducted on 22.03.2018 at Village Bhiwadi and Violation was identified during PH as it was found that the CETP was expanded to 9 MLD capacity with addition of 100 KLD Spent Acid Neutralization Plant (Existing) without the grant of EC from competent authority in 2016. Proposal was submitted under Violation Category to MoEF&CC Vide Proposal No-IA/RJ/MIS/74517/2018 on 13.04.2018 and subsequently, ToR was granted by MoEF&CC under Violation Vide File No-23-22/2019-IA-III on 29.10.2019.
  - v. Final EIA/EMP report Submitted to MoEF&CC Vide Proposal No-IA/RJ/MIS/136726/2018 on 13.01.2020. Project was considered in 30th Expert Appraisal Committee Meeting (Violation) on 03.02.2020 and EAC returned the proposal in present form to seek amendment in ToR because in earlier granted ToR, 6 MLD Effluent Recycling and Reject Management System was missing. Later, Amendment in Terms of Reference was issued vide F. No. 23-22/2019-IA-III (V) dated 01.02.2021.
  - vi. The project consists of Common Effluent Treatment plant (CETP) of capacity 9 MLD & 100 KLD Spent Acid Neutralization Plant & 6 MLD Effluent Recycling Plant (ERP). 9 MLD CETP and 100 KLD Spent Acid Neutralization Plant already exists at site and 6 MLD Effluent Recycling and Reject Management System has been proposed. Area provided for expansion of the project site is 11,600 sqm.
  - vii. The total waste water discharged from RIICO Industrial Area Bhiwadi is being treated and pumped to the final destination by CETP Bhiwadi which is being operated by M/s. Bhiwadi Jal Pradushan Niwaran Association (BJPNA) and the cost for treatment is finally born by the Industrial units.
  - viii. The industrial waste water is being treated up-to the tertiary level (PSF & ACF only) to meet the discharge standard stipulated by Rajasthan Pollution Control Board (RPCB). Bhiwadi Jal Pradushan Niwaran Association is proposing the expansion of existing CETP to recycle back the treated water to industrial units. The recycling of treated effluent can resolve the problem of water scarcity. Presently ground water is being supplied to the industrial units by tube wells for their industrial processes.
  - ix. It is proposed to treat the treated effluent further in Ultra Filtration (UF) plant and RO Plant to achieve the quality equivalent to the water quality

required in the industrial processes. The existing project of CETP has been upgraded by advance treatment technology by the application of Reactor Clarifier, Rapid Gravity sand filter & ultra-filtration followed by Reverse Osmosis Technology to be installed. The advanced treatment technology has been applied to improve the wastewater characteristics of mainly TDS to below 500 ppm. This finally treated water shall be recycled back to the industrial member units as raw water (Industrial grade water).

- x. 100 KLD water will be required during construction phase which will be met through private Tankers/STP treated water. Domestic water sourced is from private vendors and RO facility is provided at project. Fresh water demand will be 200 KLD during operation phase. The total sewage generated during the operation phase of proposed project will be treated in soak pit followed by the septic tank.
- xi. Negligible amount of municipal solid waste will be generated which will be disposed as per the norms. ETP Sludge of approx 25,000 kg/day will be sent for land fill to Shree cement Beawar and Ultratech Kotputli. Spent oil of 500 litre per year will be generated a part will be used inside plant in oiling of machineries etc. and remaining will be send to authorized vendors of CPCB/SPCB.
- xii. Power requirement would be approx. 1000 KVA which will be supplied by Jaipur Vidyut Vitran Nigam Limited (JVVNL). In case of power failure D.G. Set will be used (2 X 500 KVA).
- xiii. Proposed to install 0.3 MW solar power plants at available space in existing CETP premises for captive use.
- xiv. Proposed storm water system consists of pipe drain, catch basins and seepage pits at regular intervals for rain water harvesting and ground water recharging.
- xv. 50 m wide greenbelt of approx. 3828 sqm area (33% of the 11600 sq m) will be maintained; considering 1 tree per 4 sqm and survival rate of 80%, approx. 700 trees and 500 shrubs are proposed to be planted in 5 years.
- xvi. The Public hearing had been conducted for the expansion of common Effluent Treatment Plant (CETP) on 22nd March 2018 at 11:00 am, venue-U.I.T. meeting hall Bhiwadi, District- Alwar, State- Rajasthan.
- xvii. Baseline data collection and analysis has been done for the study period March-May 2019.
- xviii. Remediation Plan, Natural Resource Augmentation Plan and Community Resource Augmentation Plan with financial liabilities have been prepared corresponding to the ecological damage assessment and economic benefits derived due to violation. The budget allocated for the same are given as follows:

S. No.	Aspects	Budget (₹)
1	Total cost on remediation measures	10,75,000
2	Natural Resource Augmentation	2,25,000
3	Community Resource Augmentation	6,00,000
	Total	19,00,000

- xix. As per the Ministry's Office Memorandum F. No. 22-65/2017 IA.III dated 1<sup>st</sup> May 2018, an amount of ₹159.62 Lakhs i.e. 1% of the total

project cost (i.e. ₹159.62 crore), shall be earmarked under Corporate Environment Responsibility (CER).

- xx. The project is not located in critically polluted area.
- xxi. The project is not located within 10 km of Eco Sensitive Zone. NBWL Clearance is not required.
- xxii. Forest Clearance is not required.
- xxiii. No Court Case is pending against the project.
- xxiv. Expected timeline for completion of the project is 12 Months.
- xxv. Investment/Cost of the project is ₹159.62 crore.
- xxvi. Employment potential is 50 persons.
- xxvii. Benefits of the project: Proposed project will provide the direct and indirect employment to nearby area also solve the water pollution problem in the nearby area. CER budget will be spent for social activities in nearby areas.

5. The EAC informed the PP that OM regarding CER dated 1<sup>st</sup> May, 2018 has been superseded by recent OM of 30<sup>th</sup> September, 2020 which states that Social activities & budget to be included in EMP. Accordingly, the amount of ₹159.62 Lakhs earmarked for activities for CER may be implemented as part of EMP.

6. The EAC, based on information and clarifications provided by the project proponent and detailed discussions held on the issues, has recommended granting environment clearance for the proposed expansion. The aforesaid recommendation of EAC (Infra-2) is subject to certain specific conditions, as stipulated during its 65<sup>th</sup> meeting held during 27-28 May, 2021 and the standard EC Conditions as specified by the Ministry vide OM dated 04.01.2019 for the said project/activity.

7. Based on recommendations of EAC (Infra-2), the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the project for 'Expansion of Common Effluent Treatment plant (CETP) of capacity 9 MLD with addition of 100 KLD Spent Acid Neutralization Plant (Existing) & 6 MLD Effluent Recycling and Reject Management System located at Bhiwadi, Rajasthan' by M/s. Bhiwadi Jal Pradushan Nivaran Trust, under the provisions of the EIA Notification, 2006 and amendments/circulars issued thereon, and subject to the following specific and standard conditions:

**A. Specific Conditions:**

- i. Remediation Plan, Natural Resource Augmentation Plan and Community Resource Augmentation Plan with financial liabilities corresponding to the ecological damage assessment and economic benefits derived due to violation shall be implemented as proposed and shall be reported to the regional office of the ministry along with six monthly compliance report.
- ii. Fresh water requirement shall not exceed 200 KLD during operational phase. Groundwater abstraction to meet the fresh water requirement shall be considered only in absence of water supply from local authority. Abstraction of ground water shall be subject to the permission of Central Ground Water Authority (CGWA).
- iii. The PP shall explore the option to treat the domestic waste water generated on-site in the CETP itself.

- iv. As committed, there shall be no discharge of treated wastewater from the CETP. The treated wastewater shall be recycled and reused for industrial uses by member industries through dedicated pipe networks.
- v. A continuous 24x7 online monitoring system for influent and effluent characteristics shall be installed at CETP and its value be displayed at entry gate for public.
- vi. Area for greenery shall be provided as per the details provided in the project document i.e. area under plantation/greenery will be 3828 sqm. at 33% of plot area. As proposed, at least 700 trees shall be maintained during the operation phase of the project. The landscape planning should include plantation of native species. A minimum of 01 tree for every 80 sqm. of land should be planted and maintained. The existing trees will be counted for this purpose. Plantations to be ensured species (cut) to species (planted). The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
- vii. The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016.
- viii. The solid waste shall be duly segregated into biodegradable and non-biodegradable components and handled in separate area earmarked for segregation of solid waste. As committed, biodegradable and non-biodegradable wastes shall be segregated at site and sent for disposal through authorized vendors.
- ix. The Environmental Clearance to the project is primarily under provisions of EIA Notification, 2006. The Project Proponent is under obligation to obtain approvals/clearances under any other Acts/Regulations or Statutes as applicable to the project.

## **B. Standard Conditions:**

### **I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan /Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six monthly compliance report (in case of the presence of Schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water/ from



the competent authority concerned in case of drawl of surface water required for the project.

- vi. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- vii. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, etc. shall be obtained, as applicable by project proponents from the respective competent authorities.

## **II. Air quality monitoring and preservation:**

- i. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Diesel generating sets shall be installed, in the downwind directions.
- ii. Appropriate Air Pollution Control (APC) system shall be provided for fugitive dust from all vulnerable sources, so as to comply prescribed standards.

## **III. Water quality monitoring and preservation:**

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time and connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. Prior permission from competent authority shall be obtained for use of fresh water.
- iii. There shall be flow meters at inlet and outlet of CETP to monitor the flow. Suitable meters shall be provided to measure the quantity of effluent received, quantity of effluent recycled/reused and discharged.
- iv. The units and the CETP will maintain daily log book of the quantity and quality of discharge from the units, quantity of inflow into the CETP, details of the treatment at each stage of the CETP including the raw materials used, quantity of the treated water proposed to be recycled, reused within the Industrial park/units, quantity of the treated effluent discharged. All the above information shall be provided on-line of the web site exclusively prepared for the purpose by the CETP owner. The website shall be accessible by the public. The financial and energy details of the CETP will also be provided along with details of the workers of the CETP.
- v. The CETP operator will maintain an annual register of member units which will contain the details of products with installed capacities and quality and quantity of effluents accepted for discharge. This will form a part of the initial and renewal applications for consent to operate to be made before the State Pollution Control Board.
- vi. No changes in installed capacity, quality or quantity of effluents as agreed upon in the initial MOU between the operator and the member units, addition of any new member units shall be carried without prior approval of the ministry
- vii. The Unit shall inform the State Pollution Control Board at least a week

- prior to undertaking maintenance activities in the recycle system and store/dispose treated effluents under their advice in the matter.
- viii. The unit shall also immediately inform the Pollution Control Board of any breakdown in the recycling system, store the effluents in the interim period and dispose effluents only as advised by the Pollution Control Board.
  - ix. The MoU between CETP and member units shall indicate the maximum quantity of effluent to be sent to the CETP along with the quality.
  - x. The unit shall maintain a robust system of conveyance for primary treated effluents from the member units and constantly monitor the influent quality to the CETP. The Management of the CETP and the individual member shall be jointly and severally responsible for conveyance and pre-treatment of effluents. Only those units will be authorized to send their effluents to the CETP which have a valid consent of the Pollution Control Board and which meet the primary treated standards as prescribed. The CETP operator shall with the consent of the State Pollution Control Board retain the powers to delink the defaulter unit from entering the conveyance system.
  - xi. The effluent from member units shall be transported through pipeline. In case the effluent is transported thorough road, it shall be transported through CETP tankers only duly maintaining proper manifest system. The vehicles shall be fitted with proper GPS system.
  - xii. Before accepting any effluent from member units, the same shall be as permitted by the SPCB in the consent order. No effluent from any unit shall be accepted without consent from SPCB under the Water Act, 1974 as amended.
  - xiii. The Project proponents will build operate and maintain the collection and conveyance system to transport effluents from the industrial units in consultation with and to the satisfaction of the State Pollution Control Board and ensure that the industrial units meet the primary effluent standards prescribed by the State Pollution Control Board.
  - xiv. The State Pollution Control Board will also evaluate the treatment efficiency of the Effluent Treatment Plant (ETP) and its capability of meeting the prescribed standards. The final scheme of treatment would be such as is approved by the Pollution Control Board in the Consent to Establish.
  - xv. The project proponents will create an institutional arrangement for the involvement of individual members in the management of the CETP.

#### **IV. Noise monitoring and prevention:**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. Noise from vehicles, power machinery and equipment on-site should not exceed the prescribed limit. Equipment should be regularly serviced. Attention should also be given to muffler maintenance and enclosure of noisy equipment's.
- iii. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.



**V. Waste management:**

- i. ETP sludge generated from CETP facility shall be handled and disposed to nearby authorized TSDF site as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- ii. Non-Hazardous solid wastes and sludge arising out of the operation of the CETP shall be adequately disposed as per the Consent to be availed from the State Pollution Control Board. Non-Hazardous solid wastes and sludge shall not be mixed with Hazardous wastes.
- iii. The CETP shall have adequate power back up facility, to meet the energy requirement in case of power failure from the grid.
- iv. The site for aerobic composting shall be selected and developed in consultation with and to the satisfaction of the State Pollution Control Board. Odour and insect nuisance shall be adequately controlled.
- v. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
- vi. The solid wastes shall be segregated, managed and disposed as per the norms of the Solid Waste Management Rules, 2016.

**VI. Energy Conservation measures:**

- i. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;
- ii. Provide LED lights in their offices and residential areas.

**VII. Green Belt:**

- i. Green belt shall be developed in area as provided in project details, with native tree Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.

**VIII. Public hearing and Human health issues:**

- i. Emergency preparedness plan based on the Hazard Identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. Adequate infrastructure, including power, shall be provided for emergency situations and disaster management.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis.

**IX. Miscellaneous:**

- i. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed.


- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- v. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- vi. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- vii. Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- viii. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- ix. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- x. The criteria pollutant levels or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- xi. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of operation by the project.
- viii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- ix. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made



- during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- x. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
  - xi. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
  - xii. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
  - xiii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
  - xiv. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
  - xv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/High Courts and any other Court of Law relating to the subject matter.
  - xvi. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

8. The Environmental Clearance is being granted to M/s. Bhiwadi Jal Pradushan Nivaran Trust for 'Expansion of Common Effluent Treatment plant (CETP) of capacity 9 MLD with addition of 100 KLD Spent Acid Neutralization Plant (Existing) & 6 MLD Effluent Recycling and Reject Management System located at Bhiwadi, Rajasthan'.


9. This issues with the approval of the Competent Authority.

  
**(Dr. Dharmendra Kumar Gupta)**  
**Director (S)**

**Copy to:**

1. Principal Secretary, Directorate of Environment and Climate Change, Government of Rajasthan, Government Secretariat, Room No. -8325, SSO Building, Jaipur- 302005, Rajasthan.
2. Deputy Director General of Forests (C), Ministry of Environment, Forest and Climate Change, Integrated Regional Office, Jaipur, A-209 & 218, Aranya Bhawan, Mahatma Gandhi Road, Jhalana Institutional Area, Jaipur-304002
3. Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032

4. Member Secretary, Rajasthan State Pollution Control Board, 4, Jhalana Institutional Area, Jhalana Doongri, Jaipur 302 004.
5. Monitoring Cell, MoEF&CC, Indra Paryavaran Bhavan, New Delhi.
6. Guard File/Record File/Notice Board/MoEF&CC website.

  
(Dr. Dharmendra Kumar Gupta)  
Director (S)

Validity unknown

Digitally signed by Dharmendra  
Gupta  
Scientist F

Date: 12/15/2021 6:33:10 PM

EC Identification No. - EC21A036RJ194197 File No. - 21-35/2021-IA-III Date of Issue EC - 15/12/2021

Page 12 of 12

Proposal No./A/R/MIS/2023733/2020

Page 11 of 11

